Contents to volume 212

Review Letter

Solute carriers involved in energy transfer of mitochondria form a homologous protein family (FEB 04398) *H. Aquila, T.A. Link, M. Klingenberg* 1

Hypotheses

A plausible mechanism for large-scale chromosomal DNA amplification in streptomycetes (FEB 04397) *M. Young, J. Cullum* 10
A 5 S rRNA-like secondary structure in the 7 SL RNA may define a ribosomal binding site of the signal recognition particle (FEB 04396) *S. Boehm* 15

Research Letters

RNA polymerase molecules initiating transcription at tandem promoters can collide and cause premature transcription termination (FEB 04399) *S. Ponnambalam, S. Busby* 21
Purification of *Rhodobacter capsulatus* RNA polymerase and its use for in vitro transcription (FEB 04403) *M.E. Forrest, J.T. Beatty* 28
Induction of cyclo-oxygenase by interleukin-1 in rheumatoid synovial cells (FEB 04400) *L.A.J. O'Neill, M.L. Barrett, G.P. Lewis* 35
Pertussis toxin inhibits the angiotensin II and serotonin-induced rise of free cytoplasmic calcium in cultured smooth muscle cells from rat aorta (FEB 04395) *C. Bruns, D. Marmé* 40
Ribose-5-phosphate isomerase and ribulose-5-phosphate kinase show apparent specificity for a specific ribulose 5-phosphate species (FEB 04407) *L.E. Anderson* 45
Basement membrane collagen – evidence for a novel molecular packing (FEB 04401) *K. Barnard, L.J. Gathercole, A.J. Bailey* 49
NMR study of the interaction of P-450 with 4-methoxypyridine (FEB 04394) *Ya.Yu. Woldman, L.M. Weiner, L.F. Gulayeva, V.V. Lyakhovich* 53
Carbon flux through citric acid cycle pathways in perfused heart by ^{13}C NMR spectroscopy (FEB 04408) *C.R. Malloy, A.D. Sherry, F.M.H. Jeffrey* 58
Steady-state rate of F_1-ATPase turnover during ATP hydrolysis by the single catalytic site (FEB 04304) *Ya.M. Milgrom, M.B. Murataliev* 63
Vapor-phase modification of sulfhydryl groups in proteins (FEB 04411) *R. Amons* 68
Catalytic activities of synthetic octadeoxyribonucleotides as coenzymes of poly(ADP-ribose) polymerase and the identification of a new enzyme inhibitory site (FEB 04424) *A. Hakam, J. McLick, K. Buki, E. Kun* 73
Covalently bound pyruvate in phosphopantothenoylcysteine decarboxylase from horse liver (FEB 04425) *R. Scandurra, L. Politi, L. Santoro, V. Consalvi* 79
Tetrazole analogs of amino acids as constituents of modifiers of carboxypeptidase A catalysis (FEB 04428) *E. Kojro, I. Willhardt, A. Römbach, Z. Grzonka, P. Hermann* 83
Stoichiometry of sodium- and chloride-coupled glycine transport in synaptic plasma membrane vesicles derived from rat brain (FEB 04427) *M.C. Aragón, C. Giménez, F. Mayor* 87
Analysis of NMR spectra of sugar chains of glycolipids by multiple relayed COSY and 2D homonuclear Hartman-Hahn spectroscopy (FEB 04418) *F. Inagaki, D. Kohda, C. Kodama, A. Suzuki* 91
Primary structure of the biotin-binding site of chicken liver acetyl-CoA carboxylase (FEB 04426) *T. Takai, K. Wada, T. Tanabe* 98
Identification of the phosphorylation site of an 8.3 kDa protein from photosystem II of spinach (FEB 04414) *H.P. Michel, J. Bennett* 103
Clostridium botulinum type C produces a novel ADP-ribosyltransferase distinct from botulinum C2 toxin (FEB 04413) *K. Aktories, U. Weller, G.S. Chhatwal* 109

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/87/$3.50 © 1987 Federation of European Biochemical Societies

Adenylate ratios in the cytosol, chloroplasts and mitochondria of barley leaf protoplasts during photosynthesis at different carbon dioxide concentrations (FEB 04412) *P. Gardeström* 114
Adenosine decreases intracellular free calcium concentrations in cultured vascular smooth muscle cells from rat aorta (FEB 04410) *H. Kai, H. Kanaide, T. Matsumoto, Y. Shogakiuchi, M. Nakamura* 119
Inhibition of Na^+/H^+ exchange reduces Ca^{2+} mobilization without affecting the initial cleavage of phosphatidylinositol 4,5-bisphosphate in thrombin-stimulated platelets (FEB 04409) *W. Siffert, G. Siffert, P. Scheid, T. Riemens, G. Gorter, J.W.N. Akkerman* 123
Monoclonal antibodies against the 1,4-dihydropyridine receptor associated with voltage-sensitive Ca^{2+} channels detect similar polypeptides from a variety of tissues and species (FEB 04417) *R.I. Norman, A.J. Burgess, E. Allen, T.M. Harrison* 127
Calmodulin antagonists increase free cytosolic calcium levels in plant protoplasts in vivo (FEB 04436) *S. Gilroy, W.A. Hughes, A.J. Trewavas* 133
Increased 25-hydroxyvitamin D levels in portal blood following cholecystokinin injection in the dog (FEB 04435) *M.S. Meyer, R. Alon, S. Shibolet* 138
Rat liver membranes contain a 120 kDa glycoprotein which serves as a substrate for the tyrosine kinases of the receptors for insulin and epidermal growth factor (FEB 04434) *S.A. Phillips, N. Perrotti, S.I. Taylor* 141
18 kDa microtubule-associated protein: identification as a new light chain (LC-3) of microtubule-associated protein 1 (MAP-1) (FEB 04420) *S.A. Kuznetsov, V.I. Gelfand* 145
Agonist-induced α_1-adrenergic receptor changes: Evidence for receptor sequestration (FEB 04433) *M. Fratelli, A. De Blasi* 149
Brush border myosin heavy chain phosphorylation is regulated by calcium and calmodulin (FEB 04421) *J.P. Rieker, H. Swanljung-Collins, J. Montibeller, J.H. Collins* 154
The enhanced ^{32}P labeling of CDP-diacylglycerol in c-*myc* gene expressed human kidney cancer cells (FEB 04422) *Y. Kubota, T. Shuin, M. Yao, H. Inoue, T. Yoshioka* 159
C-terminal labelling of β-casein (FEB 04415) *C. Carles, P. Gueguen, B. Ribadeau-Dumas* 163
The azurin gene from *Pseudomonas aeruginosa* codes for a pre-protein with a signal peptide: Cloning and sequencing of the azurin gene (FEB 04432) *G.W. Canters* 168
DNA-mediated gene transfer as an indicator of DNA damage and its repair by recipient cells (FEB 04444) *C.M. Ireland, B.W. Stewart* 173

Book Reviews and Booklist No. 72 177

Notes to Authors 191

Hypotheses

An integrated prediction of secondary, tertiary and quaternary structure of glucose dehydrogenase (FEB 04402) *J. Hönes, K.-D. Jany, G. Pfleiderer, A.F.V. Wagner* 193
Alginate-modifying enzymes: A proposed unified mechanism of action for the lyases and epimerases (FEB 04406) *P. Gacesa* 199

Research Letters

Synthesis of spin-labeled photoaffinity derivatives of NAD^+ and their interaction with lactate dehydrogenase (FEB 04430) *A. Wolf, T.M. Fritzsche, B. Rudy, W.E. Trommer* 203
Cloning of Alu-containing cDNAs from human fibroblasts and identification of small Alu^+ $poly(A)^+$ RNAs in a variety of human normal and tumor cells (FEB 04431) *S.A. Limborska, S.A. Korneev, N.E. Maleeva, P.A. Slominsky, A.G. Jincharadze, P.L. Ivanov, A.P. Ryskov* 208
Conformational responses of an arachidonate- and U46619-binding haemoprotein in relation to platelet activation (FEB 04437) *L.K. Krishnan, M.P. Jamaluddin* 213

Detection and enzymatic deglycosylation of a glycosylated variant of prolactin in human plasma (FEB 04439) *J. Champier, B. Claustrat, G. Sassolas, M. Berger* 220
Homology between the pyrazine-binding protein from nasal mucosa and major urinary proteins (FEB 04440) *A. Cavaggioni, R.T. Sorbi, J.N. Keen, D.J.C. Pappin, J.B.C. Findlay* 225
Identification of disulfide bonds in carboxy-terminal propeptides of human type I procollagen (FEB 04480) *J. Koivu* 229
trp operon induction during the expression in *E. coli* of two IFN-γ sequences (FEB 04442) *E.D. Sverdlov, S.A. Tsarev, R.A. Krykbaev, I.P. Chernov, V.M. Rostapshov* 233
Antibody used to identify penicillin-binding protein 2′ in methicillin-resistant strains of *Staphylococcus aureus* (MRSA) (FEB 04438) *D.M. O'Hara, P.E. Reynolds* 237
Calcium ionophore A23187 enhances human neutrophil superoxide release, stimulated by phorbol dibutyrate, by converting phorbol ester receptors from a low- to high-affinity state (FEB 04443) *J.K. French, N.P. Hurst, P.D. Zalewski, L. Valente, I.J. Forbes* 242
Photoaffinity labelling of the phenylalkylamine receptor of the skeletal muscle transverse-tubule calcium channel (FEB 04465) *J. Striessnig, H.-G. Knaus, M. Grabner, K. Moosburger, W. Seitz, H. Lietz, H. Glossmann* 247
Crosslinking of trypsin digested acto-heavy meromyosin as a probe of the affinity of the two myosin heads to actin (FEB 04450) *B. Pliszka* 254
Probing DNA polymerase α with monoclonal antibodies (FEB 04449) *P. Zahradka* 259
Higher order folding of chromatin is induced in different ways by monovalent and by bivalent cations (FEB 04447) *V.L. Makarov, I. Smirnov, S.I. Dimitrov* 263
Degradation by the 2′,5′-phosphodiesterase activity of mouse cells requires the presence of a *ribo* hydroxyl group in the penultimate position of the oligonucleotide substrate (FEB 04463) *P.F. Torrence, D. Alster, S. Huss, G. Gosselin, J.-L. Imbach* 267
Simplified in vitro synthesis of mutated RNA molecules: An oligonucleotide promoter determines the initiation site of T_7 RNA polymerase on ss M13 phage DNA (FEB 04461) *G. Krupp, D. Söll* 271
Nuclear matrix and chromosome scaffold preparations of in vitro cultured bovine liver cells have two proteins in common (FEB 04452) *A.C.M. Pieck, A.A.M. Rijken, F. Wanka* 276
The insulin receptor tyrosyl kinase phosphorylates holomeric forms of the guanine nucleotide regulatory proteins G_i and G_o (FEB 04445) *R.M. O'Brien, M.D. Houslay, G. Milligan, K. Siddle* 281
Tetrameric alkaline phosphatase from human liver is converted to dimers by phosphatidylinositol phospholipase C (FEB 04456) *K. Hawrylak, R.A. Stinson* 289
The neurotoxin histrionicotoxin interacts with the putative ion channel of the nicotinic acetylcholine receptors in the central nervous system (FEB 04451) *C. Rapier, S. Wonnacott, G.G. Lunt, E.X. Albuquerque* 292
Interaction of synthetic analogs of distamycin with DNA: Role of the conjugated *N*-methylpyrrole system in specificity of binding (FEB 04462) *P. Parrack, D. Dasgupta, J. Ayyer, V. Sasisekharan* 297
The secretion of glucagon by transformed yeast strains (FEB 04458) *A.J. Moody, F. Norris, K. Norris, M.T. Hansen, L. Thim* 302
Secretion of human insulin by a transformed yeast cell (FEB 04459) *L. Thim, M.T. Hansen, A.R. Sørensen* 307
Increased chloride efflux in fibroblasts from X-linked muscular dystrophies and clones from Duchenne carriers (FEB 04361) *M. Rugolo, M. Rocchi, G. Lenaz, G. Romeo* 313
CpA containing oligoribonucleotides specifically inhibit protein synthesis in rabbit reticulocytes (FEB 04460) *T. Wagner, M. Gross, P.B. Sigler* 317
$P_i \rightleftharpoons$ATP exchange in the absence of proton gradient by the H^+-ATPase from yeast plasma membranes (FEB 04419) *L. de Meis, J.-P. Blanpain, A. Goffeau* 323

Author Index 328

Table of Contents 332

Notes to Authors 335